Delta 17 inch

The Delta 17 inch interactive play system is available with a white and blue housing suitable to mount on the wall, on a play fence or on a play system. This popular play system can already be found in thousands of establisments all over the world.

The entire housing is exactly the same size as our standard play modules, so not only can it be used as a stand alone wall mounted solution, but can also be specified as an option on our play systems. The modern, safe and durable housing allows children to explore and play freely.

Our interactive play systems are:

- · Easy-to-clean
- · Extremely strong and durable
- · Suitable for several children at the same time
- · Energy-efficient



Interactive | Delta 17 inch

Article no.	Frame colour	Colour code	Size HxWxD	Mounting	Age	KG	
IN100170	White	RAL 9003	70x45x9 cm	wallmount	2 - 12 years	9,5 KG	MDF,Steel,Stainless steel
IN100172	Blue	PMS 543C	70x45x9 cm	wallmount	2 - 12 years	9,5 KG	MDF,Steel,Stainless steel

Available software

Arctic adventures or Supermarket or Game train or Galaxy explorers

Technical specifications

Power supply 100-240V ~ 1.5A max. 360W

Resolution 1920x1080

Touchscreen Up to 10 touchpoints

Glass type 4mm toughened glass. Surface hardness 7H.



All our products are inspected, tested and certified by SGS and TÜV.



European standard EN 71 specifies safety requirements for toys. Compliance with the standard is legally required for all toys sold in the European Union.




All our products only use FSC certified wood, so eco- and environment friendly!




Our products are conform with health, safety and environmental protection standards for products sold within the EU. IKC | HQ EUROPE Dronten | The Netherlands +31 (0)321 38 77 30 sales@ikcplay.com www.ikcplay.com IKC | HQ ASIA Shanghai | China +86 (0) 21 6506 1232 sales.cn@ikcplay.com www.ikcplay.com.cn


Elements



Required tools




Screws






1. Install the frame






2. Install the AIO screen




3. Remove front plate




Power requirements


12V DC



Two possible ways to mount the product to the wall.
(1) Power socket within frame. (2) Power socket outside frame.



3. Mount Delta to wall



4. Add front panel

